

HD-SDI MEGA PIXEL DOME TRUE DAY/NIGHT CAMERA



4mm Fixed Board Lens / ø5 IR LED Built-ir

HD-QS156VTL

1/2.8" Sony 2.1 Mega pixel CMOS 1080p@25fps
Varifocal Lens 2.8mm-10mm Lens

GENERAL FEATURES

- > 1/2.8" Progressive Scan Color Sony 2Mega CMOS Sensor
- > 1920x1080p/@30fps, 1280x720p/@60fps
- > TV out(BNC) with NTSC/PAL selectable
- > WDR(Wide Dynamic Range)
- > High resolution digital zoom (x8)
- > Flicker suppression
- > No noise, ghosting effect with DNR
- > True Day/Night with ICR-Option




SPECIFICATIONS


MODEL	HD-SDI Mega Pixel
Image Sensor	1/3" Sony 2 Mega CMOS
Pixels - total	2000(H) X 1121(V) 2.24Mega Pixel
Pixels - Effective	1984(H) X 1105(V) 2.19 Mega Pixel
Scanning System	progressive
High Speed Shutter	1/25,1/30 ~ 1/60.000 sec, Auto
Resolution	1920 X 1080 1080p
Minimum Illumination	0.001Lux(Sens-up*64) / 0Lux(IR LED ON)
S/N Ratio	50 dB
Sens Up	Off / On (x2~x64)
AGC	1~20 Level adjustment
Day/Night switch	COLOR / BW / AUTO / EXTERN
Image Adjustment	Brightness, sharpness, mirror H/V
White Balance	ATW / AWB / MANUAL / PRESET
Digital Noise Reduction (DNR)	Off / Low / Middle / High
WDR	Off / On(CVBS off)
BLC	Off / BLC / HLC / WDR
HLC	On / Off / Level
Aperture (Sharpness)	1~10 Level adjustment
Number of Privacy Zones	Off / 32 Zones
Motion Detection	On / Off
Video Outputs	
Digital Zoom	X8
Power	DC 12V
Power Consumption	200mA / IR LED ON:700mA Max
Lens	DC Auto Iris Varifocal Lens(2.8-10mm)
Operational Temp.	-10 ~ +50 Deg C. RH 95% Max.
Storage Temp.	-20 ~ +60 Deg C. RH 95% Max.
Dimension	130mm(W) * 100mm(H) * 130mm(D)
Weight	900g



DIMENSIONS



CONNECTION



OPTIONAL ACCESSORIES

